

SAFETY DATA SHEET

Issuing Date 02-Feb-2023 Revision Date 02-Feb-2023 Revision Number 2.05

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name VeroYellow™, RGD836

Other means of identification

Product Code(s) SDS-06156 EN A

PN (Part Number) OBJ-03302, OBJ-03304, OBJ-18007

UN number or ID number UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Printing inks

Uses advised against

This product is a cartridge containing ink. Under normal conditions of use, the substance is

released from a cartridge only inside an appropriate printing system, and therefore,

exposure is limited

Details of the supplier of the safety data sheet

Manufacturer Address

Stratasys Corporate headquarters United States 9600 West 76th Street Suite #108

Eden Prairie, MN 55344

United States

Local: +1 952-294-3900 Phone: +1 952-937-3000

Emergency telephone number

Emergency Telephone +1 215 207 0061 - Americas - Multi lingual response 24/7

E-mail address info@Stratasys.com

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

EN / AGHS Page 1/12

Danger

Hazard statements

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Appearance Ink cartridge

Physical state Liquid

Odor Characteristic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Do not breathe vapor

Use only outdoors or in a well-ventilated area

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No	Weight-%	Proprietary
Proprietary	Proprietary	10-30	*
Proprietary	Proprietary	10-30	*
Proprietary	Proprietary	10-30	*

EN / AGHS Page 2/12

Proprietary	Proprietary	10-30	*
Proprietary	Proprietary	10-30	*
Proprietary	Proprietary	3-10	*
Caprolactone acrylate	110489-05-9	1-3	*
Proprietary	Proprietary	1-3	*
Acrylic acid, 2-hydroxyethyl ester	818-61-1	0.1-0.3	*
2-Propenoic acid, 1,2-ethanediyl ester	2274-11-5	0.1-0.3	*
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol	128-37-0	0.1-0.3	*
Proprietary	Proprietary	0.1-0.3	*
camphene	79-92-5	0.1-0.3	*
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	0.1-0.3	*
Proprietary	Proprietary	0.1-0.3	*
Acrylic acid	79-10-7	0.1-0.3	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Class B fires: Use carbon

dioxide (CO2), regular dry chemical (sodium bicarbonate), regular foam (Aqueous Film

Forming Foam-AFFF), or water spray to cool containers.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by skin contact.

chemical

Explosion data

EN / AGHS Page 3/12

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters

Cool containers with flooding quantities of water until well after fire is out. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Use personal protection equipment. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Keep out of drains, sewers, ditches and waterways. Inhalation is a health risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

place into a container for later disposal. Following product recovery, flush area with water.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Wash thoroughly after handling. Obtain special instructions

before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Do not eat, drink or smoke

when using this product. Heating may cause a fire.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals. Store in a cool, well ventilated area. Store in accordance with local regulations. Keep container tightly closed. Store between 15 °C and 27 °C. Shipment temperature (up to 5 weeks) is -20 °C to 50 °C. Store in a combustible storage area away from heat and open

flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

EN / AGHS Page 4/12

Revision Date 02-Feb-2023

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
2,6-Bis(1,1-Dimethylethyl)-4-Me thyl-Phenol	TWA: 2 mg/m³ inhalable fraction and vapor	(vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³
128-37-0	iraction and vapor		
Acrylic acid	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m ³	TWA: 6 mg/m ³
		(vacated) S*	_

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand Protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Ink cartridge
Odor Characteristic
Color yellow

Odor threshold No information available

Explosive properties No data available
Oxidizing properties No data available

Property Values Remarks • Method

pH N/A

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point >= 100 - < 250 °C / >= 212 -

< 482 °F

Evaporation rateNo data availableNone knownFlammability (solid, gas)Not applicableNone knownFlammability Limit in AirNone known

Upper flammability limit: Not applicable

Lower flammability limit: No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density1.10g/cm3

Water solubility Insoluble in water

EN / AGHS Page 5/12

Solubility in other solvents No data available None known **Partition coefficient** No data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
No data available
No data as a mixture
No information available
No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity Heating may cause a fire.

Chemical stability Decomposes on exposure to light. Unstable if heated.

Conditions to avoid Avoid exposure to heat and light.

Incompatible materialsNot applicable under normal conditions of use and storage.

Hazardous decomposition products Thermal Decomposition Products. Combustion: oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. (based on components).

Eye contact Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause

irreversible damage to eyes. (based on components).

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,612.50 mg/kg

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	= 4890 mg/kg	> 3000 mg/kg (Rabbit)	-

EN / AGHS Page 6/12

Revision Date 02-Feb-2023

	= 4890 mg/kg (Rat)		
Proprietary	= 588 mg/kg (rat)	> 2000 mg/kg (rat)	= 5.28 mg/l (rat)
Proprietary	= 2.000 mg/kg (Rat) (Method: OECD Test Guideline 423)	= 2.000 mg/kg (Rat)(Method: OECD Test Guideline 402)	-
Proprietary	(Rat) LD50 = 1,590 - 3,910 mg/kg	(Rabbit) LD50 = > 2,000 mg/kg	(Rat) 1 h LC0 = 6.7 mg/l
Proprietary	>2000 mg/kg (Rat)	>2000 mg/kg	-
Proprietary	> 2000 mg/kg > 2000 mg/kg(Rat)	> 2000 mg/kg (Rat)	-
Acrylic acid, 2-hydroxyethyl ester 818-61-1	= 548 mg/kg = 548 mg/kg(Rat)	> 1000 mg/kg (Rat)	-
2-Propenoic acid, 1,2-ethanediyl ester 2274-11-5	= 300 mg/kg = 300 mg/kg(Rat)	-	-
2,6-Bis(1,1-Dimethylethyl)-4-Me thyl-Phenol 128-37-0	> 2930 mg/kg > 2930 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
camphene 79-92-5	> 5 g/kg > 5 g/kg(Rat)	> 2500 mg/kg (Rabbit)	-
Glycerol, propoxylated, esters with acrylic acid 52408-84-1	<u>-</u>	> 2000 mg/kg (Rabbit)	<u>-</u>
Proprietary	-	> 13200 mg/kg (Rabbit)	-
Acrylic acid 79-10-7	= 193 mg/kg = 193 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 11.1 mg/L (Rat)1 h = 3.6 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification based on data available for

ingredients.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	mile in cash againey mas	noted any migrounding as a		
Chemical name	ACGIH	IARC	NTP	OSHA
2,6-Bis(1,1-Dimethylethyl	-	Group 3	-	-
)-4-Methyl-Phenol 128-37-0		·		
Acrylic acid 79-10-7	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure Classification based on data available for ingredients.

STOT - repeated exposureClassification based on data available for ingredients.

EN / AGHS Page 7/12

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary	1.98 mg/l Fresh water	0.704 mg/l Fresh water	-	0.524 mg/l Fresh water
Proprietary	120 mg/l (algae)	-	-	120 mg/kg (daphnia)
Proprietary	(Pseudokirchneriella subcapitata) : 1,6 mg/l (Method: OECD Test Guideline 201)	(Fish) : 4,95 mg/l	-	(Daphnia magna Straus) : 2,36 mg/l (Method: OECD Test Guideline 202)
Proprietary	Pseudokirchneriella subcapitata (green algae) 96 h EC50 = 0.17 mg/l	Oncorhynchus mykiss (rainbow trout) 96 h LC50 = 27 mg/l	-	Daphnia magna (Water flea) 48 h EC50 = 95 mg/l
Proprietary	-	90: 96 h Danio rerio µg/L LC50 semi-static	-	-
Acrylic acid, 2-hydroxyethyl ester 818-61-1	-	4.8: 96 h Pimephales promelas mg/L LC50 flow-through	-	0.78: 48 h Daphnia magna mg/L EC50
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	6: 72 h Pseudokirchneriella subcapitata mg/L EC50 0.42: 72 h Desmodesmus subspicatus mg/L EC50	-	-	-
camphene 79-92-5	1000: 72 h Desmodesmus subspicatus mg/L EC50	0.72: 96 h Brachydanio rerio mg/L LC50 flow-through 150: 96 h Brachydanio rerio mg/L LC50 static	-	22: 48 h Daphnia magna mg/L EC50
Glycerol, propoxylated, esters with acrylic acid 52408-84-1	-	5.74: 96 h Danio rerio mg/L LC50 static	-	-
Proprietary	-	1.95: 96 h Danio rerio mg/L LC50 static	-	-
Acrylic acid 79-10-7	0.04: 72 h Desmodesmus subspicatus mg/L EC50 0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	-	95: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Acrylic acid, 2-hydroxyethyl ester 818-61-1	0.21
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	4.17
Acrylic acid 79-10-7	0.46

Other adverse effects

No information available.

EN / AGHS Page 8/12

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number U008 U056 U220

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acrylic acid	-	-	-	U008
79-10-7				

14. TRANSPORT INFORMATION

Additional information The environmentally hazardous substance mark is not required when transported in sizes of

≤5L or ≤5kg The marine pollutant mark is not required when transported in sizes of ≤5L or

≤5kg

DOT

UN number or ID number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

Packing group **Special Provisions**

8. 146, 173, 335, 441, IB3, T4, TP1, TP29 Description

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III,

Marine pollutant

Emergency Response Guide

Number

171

TDG

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) Packing group Ш

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Description

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

MEX

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Transport hazard class(es)

Special Provisions 274, 331, 335

Packing group Ш

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

ICAO (air)

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9 Ш Packing group

EN / AGHS Page 9/12

Special Provisions A97, A158, A197, A215

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

IATA

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III
ERG Code 9L

Special Provisions A97, A158, A197

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

IMDG

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

Packing group

EmS-No

F-A, S-F

Special Provisions

9

III

F-A, S-F

274, 335, 969

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

IMDG/IMO

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III, Marine pollutant

<u>RID</u>

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

Labels

ADR

UN number or ID number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

Packing group

Classification code

Tunnel restriction code

(-)

Special Provisions 274, 335, 601, 375

Description 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

Labels

ADN

UN number or ID number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate,

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene)diacrylate), 9, III

Hazard label(s) 9 Limited quantity (LQ) 5 L

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

ENCS No information available

IECSC Complies
KECL Complies

PICCS No information available

AIIC Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acrylic acid	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
TOLUENE - 108-88-3	Developmental

EN / AGHS Page 11/12

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic acid, 2-hydroxyethyl	X	X	X
ester 818-61-1			
Acrylic acid 79-10-7	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 3 * Flammability 1 Physical hazards 0 Personal protection X Chronic Hazard Star Legend *= Chronic Health Hazard

Revision Date 02-Feb-2023

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet.

© 2016-2023 Stratasys Ltd. License granted to make unlimited paper/electronic copies for internal use only. This Safety Data Sheet or sections thereof should not be published, reproduced, modified, or distributed to third parties without prior written consent from Stratasys Ltd.

End of Safety Data Sheet

EN / AGHS Page 12/12